



PRODUCT GUIDE



Griddles • Charbroilers • Hot Plates
Fryers • Panini / Sandwich 2-Sided Grills
Contact & Conveyor Toasters • Conveyor Ovens
Tortilla Warmers • Drawer Warmers • Roller Grills
Hot Dog & Concession Equipment • Waffle Makers

2024
\$ PRICES REDUCED*

* between 8 - 10% on specific griddles, charbroilers, fryers, and hot plates

pricing effective
January 1, 2024



PRODUCT GUIDE

pricing effective
January 1, 2024



Griddles • Charbroilers • Hot Plates
Fryers • Panini/Sandwich 2-Sided Grills
Contact & Conveyor Toasters • Conveyor Ovens
Tortilla Warmers • Drawer Warmers • Roller Grills
Hot Dog & Concession Equipment • Waffle Makers
Heated Peristaltic Dispensers

STAR, HOLMAN & TOASTMASTER

265 Hobson Street | Smithville, Tennessee 37166

CUSTOMER SERVICE

phone: 800-264-7827 option 1
email: orders@star-mfg.com

TECHNICAL SERVICE

phone: 800-264-7827 option 2
email: techservice@partstown.com

PRICING SUBJECT TO CHANGE. ALWAYS CHECK AUTOQUOTES FOR LATEST PRICING PRIOR TO PLACING AN ORDER.
ALL ORDERS SHIP FOB FACTORY (SMITHVILLE, TN)

star-mfg.com



facebook.com
StarMfgInc



twitter.com
StarMfg



Instagram.com
starmfg



youtube.com
StarMfgVideos



linkedin.com
star-manufacturing-international-inc



Table of Contents



TABLE OF CONTENTS

pricing effective
January 1, 2024

COUNTERTOP EQUIPMENT pgs 6-22

Griddle Buying Guide	pg 7
Griddle Features Guide	pg 8
Griddles, Star Ultra-Max	pg 9
Griddles, Star Star-Max	pg 10
Griddles, Toastmaster	pg 11
Equipment Stands & Ultra-Max Plate Shelves	pg 12
Charbroiler Buying Guide	pg 13
Charbroiler Features Guide	pg 14
Charbroilers, Star Ultra-Max	pg 15
Charbroilers, Star Star-Max	pg 16
Charbroilers, Toastmaster	pg 17
Hot Plates, Star Ultra-Max	pg 18
Hot Plates, Star Star-Max	pg 19
Hot Plates, Toastmaster	pg 20
Fryers, Star Ultra-Max	pgs 21-22

2-SIDED SANDWICH/PANINI GRILLS pgs 23-28

Sandwich/Panini Grill Buying Guide	pgs 24-25
Sandwich Grills, Star Pro-Max	pgs 26-27, 28
Sandwich Grills, Star Grill-Express	pg 27

TOASTERS pgs 29-35

Toasters Buying Guide	pg 30
Vertical Contact Toaster, Holman	pg 31
Horizontal Contact Toasters, Holman	pg 32
Compact Conveyor Toasters, Holman	pg 33
High-Volume Conveyor Toasters, Holman	pg 34
Specialty Conveyor Toasters, Holman	pg 35

CONVEYOR OVENS pgs 36-37

Impingement Conveyor Ovens, Star Ultra-Max	pg 36
Quartz Conveyor Ovens, Holman	pg 37

WARMERS pgs 38-37

Tortilla Warmers, Star	pg 38
Drawer Warmers, Toastmaster	pg 39

HOT DOG EQUIPMENT pgs 40-46

Roller Grill Buying Guide	pgs 41-42
Roller Grills, Star Grill-Max	pgs 43-44
Bun Boxes, Sneeze Guards & Accessories	pg 45
Cradle Broil-O-Dog & Hot Dog Steamers	pg 46

Waffle Bakers - Traditional & Belgian, Star pg 47

Heated Peristaltic Dispensers, Star pg 48

INDEX pg 49

MAP/M.R.I.C.P. POLICY pgs 50-51

WARRANTY pgs 52-54

INFO pg 55

FREIGHT INFORMATION



**PREPAID
FREIGHT**
on orders of
\$20,000
or more total net *

Prepaid Freight offer will ONLY apply if:

1. Freight ships from Star warehouse location.
2. Freight for orders in continental United States only.
3. Star chooses freight carrier.
4. Star must pre-pay and add freight to invoice.

Additional Charges

Lift Gate Delivery = \$150

Call Before Delivery = \$100

All other requests, call for pricing.

Freight Classification

The bulk of Star commercial equipment is rated 85. Special configurations or non-standard crating may add to the classification. Rate classifications are subject to change without notice. All UPS Ground shipments on Star account will be subjected to a shipping and handling fee. We encourage customers to ship on their UPS Ground account to avoid charges.

Freight Damage:

DO NOT SIGN for equipment until you have thoroughly inspected it for noticeable freight damage. If damages are identified, please indicate damaged item(s) on the delivery receipt.

Noticeable Freight Damage - If an order is delivered with noticeable damage, **DO NOT ACCEPT THE ITEM**, note damages on the delivery receipt and refuse delivery of damaged item(s). Contact Star Holdings Group immediately at orders@starholdingsgrp.com or call 800-264-7827. The consignee is responsible for notifying the factory of any damages. Please include your name, item(s) damaged, serial number (if applicable), description of damage, and photographs (if possible). Damaged shipments originating from a Star Holdings Group facility to the original consignee must be reported within 24 hours of delivery. Shipments originating from dealer stock which result in freight damage must be handled through the dealership.

Concealed Freight Damage - All items must be inspected immediately upon delivery for any signs of damage. If an item shows signs of damage upon opening, immediately contact Star Holdings Group at orders@starholdingsgrp.com or call 800-264-7827. The damage must be reported to Star Holdings Group up to 5-days from the date of delivery. Please include your name, item(s) damaged, serial number (if applicable), description of damage, and photographs (if possible). The damaged item needs to be photographed and all packing and box materials must be kept for inspection by the freight carrier. Damaged shipments originating from a Star Holdings Group facility to the original consignee must be reported up to 5-days of delivery. Shipments originating from dealer stock which result in freight damage must be handled through the dealership.

100 YEARS OF QUALITY

— est. 1921 —

STAR



est. 1921





COUNTERTOP COOKING EQUIPMENT

GRIDDLES • CHARBROILERS • HOT PLATES • FRYERS

Star and Toastmaster griddles, charbroilers, hot plates, and fryers are designed to stand up to the demands of constant use, high-volume operations, and repeated heat-up and cool-down cycles.

Fryers

Star Star-Max

Hot Plates

Star Ultra-Max
Star Star-Max
Toastmaster

Griddles

Star Ultra-Max
Star Star-Max
Toastmaster

Charbroilers

Star Ultra-Max
Star Star-Max
Toastmaster





GRIDDLES

HEAVY-DUTY GRIDDLE BUYING GUIDE



STAR-MAX 624



ULTRA-MAX 860MA

Star Ultra-Max Griddles

Plate thickness **1"**
 Plate depth **24"**
 Plate width **24-72"**
 BTU/foot (gas) **30,000**
 kW/foot (elec) **4.35**
 Embedded **Yes**

Thermostat (gas) **Mechanical Snap-Action**
 Thermostat (electric) **Electric Snap-Action**
 Set temperature **+/-15°F**
 Chrome option **Yes**



Star Star-Max Griddles

Plate thickness **1"**
 Plate depth **20 1/2"**
 Plate width **15-48"**
 BTU/foot (gas) **28,300**
 kW/foot (elec) **3.0 (208V) 4.0 (240V)**
 Embedded **Yes**

Thermostat (gas) **Modulating**
 Thermostat (electric) **Electric Snap-Action**
 Set temperature **+/-30°F**
 Chrome option **Yes**



Toastmaster Griddles

Plate thickness **3/4"**
 Plate depth **20 1/2"**
 Plate width **24-48"**
 BTU/foot (gas) **20,000**
 kW/foot (elec) **3.0 (208V) 4.0 (240V)**
 Embedded **No**

Thermostat (gas) **Modulating**
 Thermostat (electric) **Electric Snap-Action**
 Set temperature **+/-40°F**
 Chrome option **No**



TM TMGM36





GRIDDLE FEATURES

1" & 3/4" THICK PLATES Griddle plate thickness drives surface temperature, performance, and consistency. 1" thick griddle plates will retain more heat for faster recovery. 1" thick plates allow the thermostat probes to be mounted deep within the griddle plate, resulting in improved performance. Our heavy-duty 3/4" griddle plate models have bottom-mounted temperature probes

PLATE DEPTH Deeper griddle plates offer more cooking area and usable space. Balance specific production needs with size constraints in the kitchen. Different depths available on select model families



CHROME SURFACE In-addition to the exceptional mirror finish of chrome, our chrome plates don't require seasoning with oil, they clean up faster. Wait, there's more ... chrome notably reduces kitchen heat load, and chrome nearly eliminates flavor transfer!

OPTIMAL PERFORMANCE + EASY CLEAN UP

GRIDDLE THERMOSTATS

MECHANICAL SNAP-ACTION THERMOSTAT

MECHANICAL controls cycle the griddle burner completely ON-or-OFF as demanded by griddle surface temperature changes. Controls are heat, water and grease resistant, with no power required. Temperature control ranges from 150°F-550°F for embedded probes with a surface temperature control $\pm 15^\circ\text{F}$ to set point



ELECTRIC SNAP-ACTION THERMOSTAT

Electric powered controls cycle the burner completely ON-or-OFF as demanded by surface temperature changes. Temperature control ranges from 150°F-450°F for embedded probes with a surface temperature control $\pm 15^\circ\text{F}$ to set point




MODULATING THERMOSTAT

MECHANICAL diaphragm and probe controls the burner. Controls are heat, water and grease resistant, and require no power. Temperature control ranges from 150°F-450°F for embedded probes with a surface temperature control $\pm 30^\circ\text{F}$ to set point, $\pm 40^\circ\text{F}$ for bottom mounted



EMBEDDED THERMOSTAT

Embedded thermostat reacts more quickly to changes on the cooking surface providing better performance than probes on the bottom of the plate





ULTRA-MAX GRIDDLES

2024
\$PRICES REDUCED
Ultra-Max Griddles




STAR ULTRA-MAX GAS MANUAL & EMBEDDED SNAP-ACTION GRIDDLES

MANUAL		MECHANICAL Snap-Action Thermostat								
Series No.	Griddle Type: MA Polished Steel Plate	Griddle Type: TA Polished Steel Plate	Griddle Type: TCHSA CHROME Plate	BTU	Plate Depth [in.]	Width [in.]	Unit Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
824	\$6,672	\$8,809	\$15,900	60,000	24	24	32.38	18.00	300	85
836	\$9,086	\$11,790	\$22,405	90,000	24	36	32.38	18.00	435	85
848	\$11,600	\$14,691	\$28,723	120,000	24	48	32.38	18.00	520	85
860	\$14,370	\$18,541	\$35,329	150,000	24	60	32.38	18.00	656	85
872	\$17,428	\$24,233	\$43,351	180,000	24	72	32.38	18.00	780	85
All prices F.O.B Smithville, TN			Specify Natural Gas or Propane and Elevation requirements when ordering							

Ultra-Max Plate Shelf options on page 12
Stand options on page 12



STAR ULTRA-MAX ELECTRIC EMBEDDED SNAP-ACTION GRIDDLES

ELECTRIC Snap-Action Thermostat

Series No.	Griddle Type: TA Polished Steel Plate	Griddle Type: TCHSA ² Chrome Plate	Watts ¹ 208V or 240V	Plate Depth [in.]	Width [in.]	Unit Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
724	\$9,636	-	8,700	24	24	33.69	18.00	220	85
736	\$12,532	\$22,833	13,050	24	36	33.69	18.00	330	85
748	\$16,375	\$29,984	17,400	24	48	33.69	18.00	440	85
760	\$20,373	\$36,658	21,750	24	60	33.69	18.00	550	85
772	\$26,429	\$45,548	26,100	24	72	33.69	18.00	660	85
1 - Specify 208V or 240V service. All units must be hard-wired at installation for 1-phase or 3- phase service									
2 - TCHSA models - chrome only available in 240V for the 760TCHSA & 772TCHSA									

Ultra-Max Plate Shelf options on page 12
Stand options on page 12

MODEL NAME FORMULA

MODEL NAME =

Series No. + Griddle Type

Series No.	Griddle Type: MA Polished Steel Plate	Griddle Type: TA Polished Steel Plate
824	824MA	824TA





GRIDDLES



STAR-MAX GRIDDLES

2024
**\$PRICES
REDUCED**
Star-Max Griddles

StarMax



636TF



STAR-MAX MANUAL & EMBEDDED THERMOSTATIC GAS GRIDDLES

	MANUAL	EMBEDDED Modulating Thermostat		EMBEDDED Modulating Thermostat w/ Pilot Safety	
Series No.	Griddle Type: MF Polished Steel Plate	Griddle Type: TF Polished Steel Plate	Griddle Type: TCHSF CHROME Plate	Griddle Type: TSPF Polished Steel Plate	BTU ¹
615	\$2,911	\$3,880	-	-	28,300
624	\$3,517	\$5,680	\$9,995	\$6,973	56,600
636	\$4,425	\$7,247	\$13,744	\$8,808	84,900
648	\$5,968	\$9,403	\$18,074	\$11,216	113,200
All prices F.O.B Smithville, TN		1 - All units ship for Natural Gas service. Propane conversion kits included			



615TF

Stand options on page 12

STAR-MAX SNAP-ACTION ELECTRIC GRIDDLES

Series No.	Griddle Type: TGF Polished Steel Plate	Griddle Type: CHSF CHROME Plate	Watts ² 208V/240V
515	\$3,487	-	3,000/4,000
524	\$4,876	\$8,321	6,000/8,000
536	\$5,777	\$10,977	9,000/12,000
548	\$8,068	\$14,105	12,000/16,000
2 - 208/240V service for all models		All units must be hard-wired at installation for 1-phase & 3-phase service	



524TGF



Stand options on page 12

STAR-MAX GRIDDLE SPECIFICATIONS

Series No.	Plate Depth [in.]	Width [in.]	Gas Unit Depth [in.]	Electric Unit Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
615 / 515	20.5	15	29.00	27.88	15.5	126	85
624 / 524	20.5	24	29.00	27.88	15.5	186	85
636 / 536	20.5	36	29.00	27.88	15.5	250	85

MODEL NAME FORMULA

MODEL NAME =
Series No. + Griddle Type

Series No.	Griddle Type: TGF Polished Steel Plate
515	515TGF
524	524TGF



TOASTMASTER GRIDDLES



TMGM36



TOASTMASTER MANUAL & THERMOSTATIC GRIDDLES - GAS & ELECTRIC

MANUAL GAS			MODULATING GAS Thermostat		ELECTRIC Griddle w/ SNAP-ACTION Thermostat						
Series No.	Griddle Type: TMGM Polished Steel Plate	Griddle Type: TMGT Polished Steel Plate	BTU ¹	Griddle Type: TMGE Polished Steel Plate	Watts 208V/240V	Plate Depth [in.]	Width [in.]	Unit Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
24	\$3,182	\$4,032	40,000	\$3,816	6,000/8,000	20.5	24	27.81	15.50	158	85
36	\$4,015	\$5,337	60,000	\$5,022	9,000/12,000	20.5	36	27.81	15.50	236	85
48	\$4,693	\$6,538	80,000	\$6,119	12,000/16,000	20.5	48	27.81	15.50	315	85
All prices F.O.B Smithville, TN											
1 - All gas units ship for Natural Gas service. Propane conversion kits included											
2 - All 208/240V units must be hard-wired at installation for 1-phase or 3-phase service											

Stand options on page 12

MODEL NAME FORMULA

MODEL NAME = Griddle Type + Series No.

Series No.	Griddle Type: TMGM Polished Steel Plate	Griddle Type: TMGT Polished Steel Plate
24	TMGM24	TMGT24





EQUIPMENT STANDS & ULTRA-MAX PLATE SHELVES

HEAVY-DUTY EQUIPMENT STANDS with CASTERS

Model No.	Price F.O.B Smithville, TN	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
STAND/HC-24	\$2,934	24.00	30.00	24.00	25	85
STAND/HC-36	\$3,287	36.00	30.00	24.00	68	85
STAND/HC-48	\$3,861	48.00	30.00	24.00	88	85
STAND/HC-60	\$4,512	60.00	30.00	24.00	105	85
STAND/HC-72	\$5,338	72.00	30.00	24.00	122	85

7-INCH PLATE SHELF for Ultra-Max Griddles/Charbroilers

Unit Size	Model No.	7" Plate Shelf	Ship Wt. [lb.]	Freight Class
24"	UMSA24	\$438	6	85
36"	UMSA36	\$597	9	85
48"	UMSA48	\$748	12	85
60"	UMSA60	\$1,025	13	85
72"	UMSA72	\$1,192	16	85
All prices F.O.B Smithville, TN				

CHARBROILER BUYING GUIDE

RADIANT & LAVA ROCK MODELS



Star **Ultra-Max** Charbroilers Radiant & Lava Rock

Burner mat'l **Cast iron**
Burners/foot **2**
BTU/foot **40,000**
Radiant mat'l **Steel alloy**
Grate depth **25¹/₄"**

Unit width options
24", 36", 48", 60", 72"

7" Shelf accessory available
for Ultra-Max charbroilers



ULTRA-MAX
8024CBB

Star **Star-Max** Charbroilers Radiant & Lava Rock

Burner mat'l **Cast iron**
Burners/foot **1**
BTU/foot (gas) **40,000**
kW/foot (elec) **3.3**
Radiant mat'l **Stainless steel**
Grate depth **20³/₁₀"**

Unit width options
15", 24", 36", 48"



STAR-MAX 6136RCBF

Toastmaster **Charbroilers** Radiant & Lava Rock

Burner mat'l **Steel Tube**
Burners/foot **1**
BTU/foot **30,000**
Radiant mat'l **Stainless steel**
Grate depth **20³/₁₀"**

Unit width options
24", 36", 48"



TM TMRC24

CHARBROILER FEATURES

STEEL TUBE BURNER

Tubular steel burners offer excellent and reliable performance at an economical price. Available in Toastmaster charbroilers, models have one (1) burner per 12"



CAST IRON GRATES

All Star and Toastmaster charbroilers come with heavy-duty cast iron grates. Incline or lay flat to optimize your cooking surface



CAST IRON BURNER

Cast Iron burners are ten times heavier & thicker than sheet metal burners, cast iron burners offer performance and durability in the most corrosive kitchen environments.

- One (1) burner per 12" for Star-Max models
- Two (2) burners per 12" for Ultra-Max models

RADIANT STYLE

Charbroiler radiants protect the burners from debris and they ensure a more uniform temperature profile. Star-Max and Toastmaster heavy gage sheet metal radiants can last for years, and the uniquely durable Lang and Ultra-Max steel alloy radiants may last the life of your charbroiler



LAVA ROCK

Lava rocks function as a radiant for the entire burner array and diffuse the heat generated by the burners effectively. Cooking surface temperature profiles can be modified by positioning the rock, and flavor profiles may vary depending on use



ULTRA-MAX 8148RCBB





ULTRA-MAX CHARBROILERS

2024
\$PRICES
REDUCED
Ultra-Max Charbroilers

UltraMax



ULTRA-MAX 8148RCBB

STAR ULTRA-MAX RADIANT & LAVA ROCK GAS CHARBROILERS

RADIANT CHARBROILERS		LAVA ROCK CHARBROILERS		BTU ¹	Grate Depth [in.]	Width [in.]	Unit Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
8124RCBB	\$8,980	8024CBB	\$9,429	80,000	24	24	30.63	18.00	260	85
8136RCBB	\$12,206	8036CBB	\$12,816	120,000	24	36	30.63	18.00	350	85
8148RCBB	\$15,686	8048CBB	\$16,469	160,000	24	48	30.63	18.00	438	85
8160RCBB	\$19,598	8060CBB	\$20,578	200,000	24	60	30.63	18.00	543	85
8172RCBB	\$21,797	8072CBB	\$22,887	240,000	24	72	30.63	18.00	665	85
All prices F.O.B Smithville, TN				1 - Specify Natural Gas or Propane when ordering.						
High elevation construction available at no charge. Specify when ordering.										

Ultra-Max Plate Shelf options on page 12
Stand options on page 12



ULTRA-MAX 8136RCBB



CHARBROILERS



STAR-MAX CHARBROILERS



StarMax



STAR-MAX 6136RCBF



STAR-MAX RADIANT & LAVA ROCK GAS CHARBROILERS

RADIANT CHARBROILERS		LAVA ROCK CHARBROILERS		BTU ¹	Grate Depth [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
6115RCBF	\$3,150	6015CBF	\$3,308	40,000	21	15	25.75	15.50	121	85
6124RCBF	\$3,681	6024CBF	\$3,780	80,000	21	24	25.75	15.50	186	85
6136RCBF	\$5,155	6036CBF	\$5,293	120,000	21	36	25.75	15.50	290	85
6148RCBF	\$7,116	6048CBF	\$7,310	160,000	21	48	25.75	15.50	350	85
All prices F.O.B Smithville, TN				1 - All units ship for Natural Gas service. Propane conversion kits included						

Stand options on page 12

STAR-MAX RADIANT ELECTRIC CHARBROILERS



STAR-MAX 5124CF

Model	Prices F.O.B Smithville, TN	Volts	Watts ²	Grate Depth [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
5124CF	\$7,600	208 240	6,600	21	24	25.63	14.25	129	85
5136CF	\$10,301	208 240	9,900	21	36	25.63	14.25	186	85
2 - Specify 208V or 240V				All units must be hard-wired at installation 1-phase or 3-phase service					

Stand options on page 12



CHARBROILERS



TOASTMASTER CHARBROILERS

2024
\$PRICES REDUCED
Toastmaster Charbroilers



TM TMLC36



TOASTMASTER RADIANT & LAVA ROCK GAS CHARBROILERS



RADIANT CHARBROILERS		LAVA ROCK CHARBROILERS		BTU ¹	Grate Depth [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
TMRC24	\$2,970	TMLC24	\$2,970	60,000	21	24	25.75	15.50	186	85
TMRC36	\$3,820	TMLC36	\$3,820	90,000	21	36	25.75	15.50	290	85
TMRC48	\$4,859	TMLC48	\$4,859	120,000	21	48	25.75	15.50	350	85
All prices F.O.B Smithville, TN				1 - All units ship for Natural Gas service. Propane conversion kits included						

[Stand options on page 12](#)



TM TMRC24



TM TMLC48



ULTRA-MAX HOT PLATES

**2024
\$PRICES
REDUCED**
Ultra-Max Hot Plates



804HA



806HA



STAR ULTRA-MAX GAS HOT PLATES

Ultra-Max Hot Plates feature 30,000 BTU
cast iron burners and heavy-duty cast iron grates



Model No.	Price F.O.B. Smithville, TN	No. Burners	BTU ¹	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
802HA	\$3,384	2	60,000	12	30.63	14.88	108	85
804HA	\$5,039	4	120,000	24	30.63	14.88	194	85
806HA	\$6,640	6	180,000	36	30.63	14.88	219	85
808HA	\$8,450	8	240,000	48	30.63	14.88	283	85

1 - Specify Natural Gas or Propane and Elevation requirements when ordering. No extra charge.

Ultra-Max Plate Shelf options on page 12
Stand options on page 12



802HA



806HA



HOT PLATES



STAR-MAX HOT PLATES

**2024
PRICES
REDUCED**
Star-Max Hot Plates

StarMax



STAR-MAX 602HWF



STAR-MAX 604HF



STAR-MAX GAS HOT PLATES

Star-Max Hot Plates feature 25,000 BTU
cast iron burners and heavy-duty cast iron grates



Model No.	Price F.O.B. Smithville, TN	No. Burners	BTU ¹	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
602HF	\$2,435	2	50,000	12.19	28.88	11.94	75	85
604HF	\$3,772	4	100,000	24.19	28.88	11.94	125	85
606HF	\$5,238	6	150,000	36.19	28.88	11.94	200	85
SIDE-BY-SIDE GAS HOTPLATE								
602HWF	\$2,435	6	50,000	24.19	17.00	11.94	75	85
All units ship for natural gas service. Propane conversion kits included					* Stockpot in LP service operates at 90,000 BTU			



Stand options on page 12

STAR-MAX 602HF

STAR-MAX ELECTRIC HOT PLATES - SOLID FRENCH TOP

Model No.	Price F.O.B. Smithville, TN	No. Burners	Watts ¹ 208/240V	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
501FF	\$1,807	1	1,950/2,600	12.00	17.25	10.28	25	85
502FF	\$2,553	2	3,900/5,200	12.00	28.00	11.68	45	85
1 - All units are built for 208/240 volt, 1-phase service								

Star-Max Electric Hot Plates feature
high-power French-top burners



STAR-MAX 502FF



STAR-MAX 501FF



HOT PLATES



TOASTMASTER HOT PLATES



TMHP2

TMHP4



TOASTMASTER GAS HOT PLATES

Model No.	Price F.O.B Smithville, TN	No. Burners	BTU ¹	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
TMHP2	\$2,394	2	44,000	12.19	28.88	11.94	75	85
TMHP4	\$3,782	4	88,000	24.19	28.88	11.94	125	85
TMHP6	\$5,315	6	132,000	36.19	28.88	11.94	200	85

1 - All units ship for Natural Gas service. Propane conversion kits included

[Stand options on page 12](#)

TOASTMASTER ELECTRIC HOT PLATES - SOLID FRENCH TOP

Model No.	Price F.O.B Smithville, TN	No. Burners	Watts ¹ 208/240V	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
TMHPF	\$2,412	2	3,900/5,200	12.19	28.88	11.94	45	85

1 - All units are built for 208/240 volt, 1-phase service



TMHPF





FRYERS



STAR-MAX FRYERS

STAR-MAX GAS FRYERS



StarMax

615FF



630FF

Model No.	Price F.O.B Smithville, TN	Oil Capacity [lb.]	Fries per hour [lb.]	BTU ²	Description	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
SINGLE POT, TWIN BASKETS										
615FF	\$6,805	15	28	30,000	UNDER FIRED TWIN BASKETS	12.00	25.13	24.63	74	85
630FF	\$8,372	30	68	70,000	UNDER FIRED FULL BASKETS	24.00	25.13	24.63	140	85
Specify Natural Gas or Propane when ordering					2 - 630FF in LP service operates at 65,000 BTU					

Fryer accessories on next page (pg. 22)

Stand options on page 12

STAR-MAX ELECTRIC FRYERS

Model No.	Price F.O.B Smithville, TN	Oil Capacity [lb.]	Fries per hour [lb.]	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
SINGLE POT, TWIN BASKETS											
514LL	\$2,762	14	15	120	1,800	5-15P	11.00	21.88	13.25	34	85
301HLF	\$3,925	15	28	208/240	4,130/5,300	6-30P	18.00	20.00	17.00	50	85
515F	\$3,794	15	32	208/240	4,319/5,750	6-30P	12.00	24.00	16.75	47	85
530FF	\$6,334	30	65	208/240	8,460/11,500	Field Wired	24.00	24.00	16.50	80	85
TWIN POT, SINGLE BASKET											
530TF	\$6,629	30	64	208/240	8,638/11,500	Field Wired	24.00	24.00	16.75	80	85

Fryer accessories on next page (pg. 22)





STAR-MAX FRYER ACCESSORIES

STAR-MAX FRYER ACCESSORIES

Model No.	Price F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
514FB	\$196	BASKET for 514LL	4	85
301FBL	\$350	TWIN BASKET (Left Hand) for 301HLF	4	85
301FBR	\$350	TWIN BASKET (Right Hand) for 301HLF	4	85
530TBL	\$440	TWIN BASKET (Left Hand) for 515F, 530TF & 615FF	4	85
530TBR	\$440	TWIN BASKET (Right Hand) for 515F, 530TF & 615FF	4	85



514LL





2-SIDED GRILLS PANINI SANDWICH

GROOVED & SMOOTH OPTIONS
ALUMINUM & CAST IRON PLATENS

THE HOTTEST 2-SIDED GRILL IN THE INDUSTRY

Star Panini Sandwich grills feature more production per hour than any other grill due to faster heat recovery.

Star Sandwich grills unique “ANYWHERE COOKING TECHNOLOGY” boasts even temperatures across the grill.

This innovative feature means consistent, full-surface heat allowing you to cook anywhere on the grill surface for maximum performance and output

**GREAT RECIPES,
VIDEOS & MORE!**
STAR-MFG.COM



click for
Pro-Max
recipes



star-mfg.com/product/pro-max-panini-grills-with-torsion-spring-hinge/






SANDWICH/PANINI GRILLS

SANDWICH/PANINI GRILL BUYING GUIDE

PLATENS



ALUMINUM **vs.** CAST IRON

ALUMINUM & CAST IRON **WILL PERFORM DIFFERENTLY**

- Aluminum will distribute heat more evenly, but lose heat faster and require more cycling
- Cast Iron requires more power to heat (due to higher density), but can retain temperature better for faster recovery in appropriate applications
- Both materials clean about the same, and though all iron products can rust, simple oiling and seasoning will prevent

CRITERIA THAT FAVOR ALUMINUM

- Warming (tortillas, quesadillas, mild re-therm)
- Heating/Marking Bread products
- Low power available (120V, 1700W maximum)
- Split-Top (Aluminum only)

CRITERIA THAT FAVOR CAST IRON

- Cooking applications (chicken, burgers etc...)
- Hybrid uses (protein breakfasts, quesadilla lunches)
- High power available (208/240V, up to 7200W)
- 28" unit (Cast Iron only)




GROOVED **vs.** SMOOTH

- A menu decision based on the look/feel of the finished product
- 'Panini' sandwiches are marked with grooves, by definition
- Less surface contact from grooves may increase cook times

Alternative: Smooth Bottom, Grooved Top - the best of both worlds!



GROOVED



SMOOTH

FLAT LANDING for OPTIMAL HEATING


3-INCH 'FLAT LANDING' OPENING for LARGE SANDWICHES (PST models only)

- Perfect contact front-to-back for optimal heating
- Prevents contents from being squeezed out

HINGE TYPES


Our exclusive **Torsion Spring Hinge** STAYS PUT at whatever position you leave it, and has been tested to over 4 MILLION cycles, so you can count on it day-after-day, year-after-year!

**TORSION
SPRING
HINGE**



Our **Counter-Balance Hinge**
The Counter-Balance Hinge mechanism is constructed from hardened aluminum

**COUNTER
BALANCE
HINGE**





SANDWICH/PANINI GRILL BUYING GUIDE

SIZE OPTIONS

Size	7-in Series	14-in Series	28-in Series
Cooking Surface [in.]	7.5 x 14.2	14.5 x 14.2	28.3 x 14.2
Footprint Dims [in.]	10.38 x 23.30	16.50 x 23.30	34.30 x 23.30
Platens	Single 7" Platen	Single 14" Platens or Dual 7" Platens	Dual 14" Platens

SANDWICH GRILL SIZE SELECTION

- Available counter-space may decide for you!
- Size of the cooked product is most important
- Standard tortillas come in 6"-14" diameters
- Bread/sandwich and protein batch sizes should be considered



SPLIT TOP OPTION

- **Flexible** - split top option is great for varied menus and high volume applications
- **Independent electronic controls** and timers for each individual platen with convenient side-bar handles

CONTROL OPTIONS



ANALOG

Dial thermostat, 1-10, for simplicity and operations with limited functional needs



ANALOG with TIMER

For more dynamic menus or busier locations where operators can get distracted



ELECTRONIC

Programmable for dozens of product time and temperature settings
For high-volume operations with varied menus
Easier to train operators, ensuring consistent results

CLEANING TIPS



Aluminum and Cast Iron surfaces are porous. Carbon and oils can penetrate and discolor the surface while creating unwanted carbon and grease accumulation.

Cleaning your sandwich grill effectively requires soapy water, a brush, and an abrasive pad. When just soapy water isn't doing the trick, you can use commercial high-temperature grill cleaner. Grill cleaner is effective, especially when dealing with heavy accumulation.



SANDWICH/PANINI GRILLS



PRO-MAX 2-SIDED GRILLS

STAR PRO-MAX PANINI SANDWICH GRILLS with TORSION SPRING HINGE



PST71



PGT14



ANALOG Control NO TIMER			ANALOG Control ELECTRONIC TIMER		ELECTRONIC Control and TIMER		
Series No.	Type: A Aluminum	Type: I Iron	Type: T Aluminum	Type: IT Iron	Type: E Aluminum	Type: IE Iron	Type: D Aluminum Split-Top
SMOOTH PANINI GRILLS							
PST7	\$5,138	\$7,460	-	-	\$6,714	\$9,321	-
PST14	\$5,180	\$7,502	\$6,174	\$8,440	\$6,758	\$9,359	\$12,361
GROOVED PANINI GRILLS							
PGT7	\$5,138	\$7,460	-	-	\$6,714	\$9,321	-
PGT14	\$5,180	\$7,502	\$6,174	\$8,440	\$6,758	\$9,359	\$12,361
GROOVED TOP, SMOOTH BOTTOM PANINI GRILLS							
Series No.		Type: IGT		Type: ITGT	All prices F.O.B Smithville, TN		
PST14	-	\$7,502	-	\$8,440	See page 28 for a list of VOLTAGES AVAILABLE per model		

STAR PRO-MAX PANINI SANDWICH GRILLS with COUNTER-BALANCE HINGE

ANALOG Control NO TIMER		ANALOG Control ELECTRONIC TIMER	ELECTRONIC Control and TIMER
Series No.	Type: I - Iron	Type: IT - Iron	Type: IE - Iron
SMOOTH PANINI GRILLS			
PSC28	\$14,225	\$15,633	\$17,011
GROOVED PANINI GRILLS			
PGC28	\$14,225	\$15,633	\$17,011
GROOVED TOP, SMOOTH BOTTOM PANINI GRILLS			
Series No.	Type: IGT	Type: ITGT	Type: IEGT
PSC28	\$14,225	\$15,633	\$17,011
All prices F.O.B Smithville, TN		See page 28 for a list of VOLTAGES AVAILABLE per model	



PSC28I





SANDWICH/PANINI GRILLS



PRO-MAX 2-SIDED GRILLS

STAR PRO-MAX SPECIFICATIONS

Series Size	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
7-inch	120 230* 240	1310 1425	5-15P CEE7/7 6-15P	10.38	23.30	26.6 - open 10.0 - closed	55 (alum) 69 (iron)	85
14-inch SINGLE	120 120 (CSA) 230 (alum)* 230 (iron)* 208/240 (alum) 208/240 (iron)	1,800 1,800 (CSA) 1650 3306 1,350/1,800 2,700/3,600	5-15P 5-20P (CSA) CEE7/7 CEE7/7 6-15P 6-20P	16.50	23.30	26.6 - open 10.0 - closed	75 (alum) 109 (iron)	85
14-inch SPLIT-TOP ALUMINUM	120 120 (CSA) 230* 208/240	2,300 2,300 (CSA) 2,112 1,728/2,300	5-20P 5-30P (CSA) CEE7/7 6-15P	16.50	23.30	26.6 - open 10.0 - closed	75 (alum) 109 (iron)	85
28-inch IRON	208/240 208/240 (CSA)	5,400/7,200 5,400/7,200 (CSA)	6-30P 6-50P (CSA)	34.25	23.30	26.6 - open 10.0 - closed	206 (iron)	85

1 - Specify 120V, 208/240V or 230V and Canadian applications when ordering. Not all voltages available on all models.
See page 28 for a list of voltages by model

230V Options available for some PST/PGT models - SPECIFY 230V when ordering



GRILL-EXPRESS 2-SIDED GRILLS



STAR GRILL EXPRESS PANINI SANDWICH GRILLS

Series No.	Type: IS Smooth Iron	Type: IG Grooved Iron	Type: IGS Grooved LEFT Smooth RIGHT	Surface [in.]	Volts	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
GX10	\$2,252	\$2,252	-	10x10	120	1,350	5-15P	15.75	19.88	21.4 - open 10.9 - closed	65	85
GX14	\$2,387	\$2,387	-	14x10	120	1,800	5-15P	19.63	23.30	21.4 - open 10.9 - closed	74	85
GX14	\$3,134	\$3,134	-	14x10	208/240	2,100/2,800	6-15P	19.63	23.30	21.4 - open 10.9 - closed	74	85
GX20	\$5,159	\$5,159	\$5,159	Dual 10x10	208/240	2,700/3,600	6-20P	34.25	23.30	21.4 - open 10.9 - closed	115	85

All prices F.O.B Smithville, TN



PRO-MAX 2-SIDED GRILL - VOLTAGES

STAR PRO-MAX PANINI SANDWICH GRILL VOLTAGES AVAILABLE (listed by model)

Series No.	Type: A Aluminum	Type: I Iron	Type: T Aluminum	Type: IT Iron	Type: E Aluminum	Type: IE Iron	Type: D Alum Split-Top
PST7	120V, 230V*	208/240V, 230V*	-	-	208/240V	208/240V, 230V*	-
PST14	120V, 120(CSA), 208/240V, 230V*		120V, 230V*	208/240V	120V, 208/240V, 230V*	120V, 208/240V	120V, 120(CSA), 208/240V, 230V*
PGT7	120V	120V, 230V*	-	-	120V, 208/240V	208/240V, 230V*	-
PGT14	120V, 120(CSA), 208/240V	120V, 120(CSA), 208/240V	120V, 240V	208/240V, 230V*	120V, 120(CSA), 208/240V, 230V*	120V, 240V, 230V*	120V, 208/240V, 230V*
PSC28	-	208/240V, 208/240(CSA)	-	208/240V, 208/240(CSA)	-	208/240V	-
PGC28	-	208/240V, 208/240(CSA)	-	208/240V, 208/240(CSA)	-	208/240V, 208/240(CSA)	-
Series No.		Type: IGT		Type: ITGT		Type: IEGT	
PST14	-	120V, 120(CSA), 208/240V	-	208/240V	-	208/240V	
PSC28	-	208/240V, 208/240(CSA)	-	208/240V	-	208/240V	



TOASTERS HIGH-PERFORMANCE

CONTACT & CONVEYOR MODELS

Built to stand up to the most rigorous foodservice operations

Fast, consistent heating that meets your toasting needs
on demand with our wide variety of toasting options



QCS3-1600B

TOASTERS BUYING GUIDE

HOW WILL YOU USE YOUR TOASTER?

- **BATCH PROCESS** - low volume & irregular
- **CONTINUOUS OPERATION** - high volume & ongoing



WHAT ARE YOU TOASTING?

<i>OPENING SIZE PER PRODUCT</i>		
BREAD 1.5"	BAGELS 1.75"	BUNS 3.0"

Buns, bagels, and breads **all have varying heights**

Consider the height of your product when selecting the right toaster style



SCT4000E VERTICAL CONTACT TOASTER

- First buns pass-through time is as low as 12 seconds fully caramelized
- Bun height adjustment controlled with an easily adjusted twist knob
- Supplied with an easy-to-install non-stick sheet
- Single piece front and rear silicone belts
- High-contrast display allows an infinite number of programmed product settings
- USB port programming allows easy uploading of new product files consistently, across any number of toasters

CAPABLE OF UP TO
1,800
BUN-HALVES
PER HOUR

two heels & two crowns
at once, constant feed



SCT4000E


HOLMAN SCT4000E VERTICAL CONTACT TOASTER

Model No.	Prices F.O.B. Smithville, TN	Description	CAPACITY per HOUR	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
SCT4000E	\$19,547	PROGRAMMABLE CONTROLS VARIABLE SPEED & TEMPERATURE CONTROL, DIGITAL STEPPER MOTOR	1,800 bun halves	208/240 230	6-15P CEE7/7	2,000/2,663 2,446	21.70	9.50	25.70	100	85

ACCESSORIES

Model No.	List	Description
SCTBWP	\$2,202	PERFORATED BUTTER WHEEL for SCT
SCTBWS	\$1,585	SMOOTH BUTTER WHEEL for SCT
SCTSHEET-B	\$1,133	(10) NON-STICK SHEETS for SCT, BUTTER APPLICATIONS

non-stick sheet
for SCT4000E



SCTSHEET-B



HCT HORIZONTAL CONTACT TOASTERS

- Caramelize/seal buns & bread to extend holding time
- Durable Chain or non-marking Silicone belt options
- Analog and Electronic Control Options
- Knob adjustment for product height
- Low-profile design



HOLMAN HCT HORIZONTAL CONTACT TOASTERS

Model No.	Belt Type	Voltage	Prices FOB Smithville, TN	Model No.	Belt Type	Voltage ¹	Prices FOB Smithville, TN
ANALOG CONTROLS				ELECTRONIC CONTROLS			
HCT13M	Metal Chain	208	\$9,258	HCTE13M	Metal Chain	208	\$10,242
HCT13M-240		240	\$9,258				
HCT13M-230		230	\$9,258				
HCT13S	Silicone	208	\$9,258	HCTE13S	Silicone	280	\$10,242
HCT13S-240		240	\$9,258				
HCT13S-230		230	\$9,258				

HCT model specs on table below. 1-240 & 230V not available on HCTE13M & HCTE13S Electronic control models

SPECIFICATIONS - HCT CONTACT TOASTERS

Model	BUN HALVES per HOUR	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
HCT13M HCTE13M	1700	208 240 230	6-20P 6-20P CEE7/7	2800 3000 2750	19.25	24.40	17.30	115	85
HCT13S HCTE13S		208 240 230	6-20P 6-20P CEE7/7	2550 2650 2450	19.25	24.40	17.30	115	85

1-240V & 230V not available on HCTE13M & HCTE13S Elec.Control models

ACCESSORIES

Model No.	List	Description
HCTEBW	\$1,134	BUTTER WHEEL for HCT
HCTFEED	\$339	FEEDER TRAY for HCT
CTSHEET10	\$313	(10) NON-STICK SHEETS for HCT



Compact, only 14¹/₂ inches wide **MAXIMUM PERFORMANCE**
MINIMUM COUNTER SPACE

HOLMAN QCS1 COMPACT CONVEYOR TOASTERS

QCS1 toasters

- Optimal performance in a compact size
- 10" w belt for up to 2-slices/bread, side-by-side
- Analog temperature & belt speed adjustment
- Bagel toaster heats max power on 1-side
- 120V service for use anywhere in your kitchen



⚡ HOLMAN QCS1 COMPACT CONVEYOR TOASTERS

ANALOG CONTROLS ¹		Slices per HOUR	Description	Volts	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
QCS1-350	\$2,488	350	1.5" Opening COMPACT toaster	120	1600	5-15P	14.25	18.88	13.25	44	85
QCS1-500B	\$4,394	500	1.5" Opening BAGEL toaster	120	1600	5-15P	14.25	18.88	13.25	44	85

All prices F.O.B Smithville, TN

HOLMAN QCS2 COMPACT CONVEYOR TOASTERS

QCS2 toasters

- 10" w belt for up to 2-slices/bread, side by side
- Analog controls for belt speed, top and bottom heat
- Analog temperature & belt speed adjustment
- Programmable belt speed & top and bottom heat
- Inlet height options for toast, bagels, and buns



⚡ HOLMAN QCS2 CONVEYOR TOASTERS

ANALOG CONTROLS		ELECTRONIC CONTROLS		Slices per HOUR	Description	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
QCS2-500	\$5,086	QCSe2-500	\$5,940	500	1.5" Opening COMPACT toaster	120	1,700	5-15P	14.50	22.38	15.63	64	85
QCS2-600H	\$5,608	QCSe2-600H	\$6,623	600	3.0" Opening BUN toaster	208 240*	2,800	6-20P 6-20P	14.50	22.38	15.63	64	85
QCS2-800	\$4,888			800	1.5" Opening COMPACT toaster	208 240	2,800	6-20P 6-20P	14.50	22.38	15.63	64	85
QCS2-1200B	\$6,389			1,200	1.75" Opening BAGEL toaster	208	3,200	6-20P	14.50	22.38	15.63	64	85

All prices F.O.B Smithville, TN 1 - Specify 120V, 208V, 240V when ordering * 240V not available on QCSe2-600H model





HOLMAN QCS3 HIGH-VOLUME CONVEYOR TOASTERS



QCS3 toasters

- 14" wide belt for up to 3-slices of bread, side by side
- Analog controls for belt speed, top and bottom heat
- Programmable belt speed and top and bottom heat
- Inlet height options for toast, bagels, and buns

⚡ HOLMAN QCS3 HIGH VOLUME CONVEYOR TOASTERS

ANALOG CONTROLS		Slices per HOUR	Description	Volts ¹	Watts ¹	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
QCS3-1000	\$6,297	1,000	1.5" Opening COMPACT toaster	208	3,200	6-20P	18.50	22.38	15.63	68	85
QCS3-950H	\$6,238	950	3.0" Opening BUN toaster	208 240	3,200	6-20P 6-20P	18.50	22.38	15.63	68	85
QCS3-1300	\$7,543	1,300	1.5" Opening COMPACT toaster	208	3,600	6-30P	18.50	22.38	15.63	68	85
QCS3-1600B	\$7,427	1,600	2.0" Opening BAGEL toaster	208	3,400	6-30P	18.50	22.38	15.63	68	85
All prices F.O.B Smithville, TN				1 - Specify 208V or 240V							



HOLMAN DT14 & QCS3 SPECIALTY CONVEYOR TOASTERS

HOLMAN SPECIALTY CONVEYOR TOASTERS



QCS3-1400BH

ANALOG CONTROLS		Slices per HOUR	Description	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class	BELT Width & Capacity
DT14	\$13,224	2,000	2.25" Top Opening 1.75" Bottom Opening DOUBLE CONVEYOR toaster	208 240	4,800	6-30P	19.50	23.43	24.06	102	85	14" 3 Slices
QCS3-1400BH	\$8,113	1,400	3.0" Opening VARIABLE BAGEL & BREAD toaster	208 240	3,400	6-30P 6-30P	18.50	22.38	15.63	68	85	14" 3 Slices
All prices F.O.B Smithville, TN			1 - Specify 120V, 208V, or 240V Service when ordering. All units rated for 50-60Hz cycles.									

DT14 TOASTER

"The Double Toaster"

two conveyor belts, high production toasting!

The DT14 Double Toaster defines productivity. Two variable speed conveyor belt controls and top/bottom heat controls for perfect color and texture on everything. Product entry opening adjustable from 1" to 2.25" high in top toaster. Bottom entry is 1.75".

DT14



QCS3-1400BH TOASTER


"The Variable Toaster" two units in one, two ways to toast!

switch from bread (2-sided toasting) to bagels (1-sided toasting)

The QCS3-1400BH toaster takes production flexibility to a whole new level with the extra-wide 3" inlet. Normal operation, 3400W of power is applied evenly between top and bottom, like a standard toaster. A toggle switch in the lower left corner converts the unit to 3400W of TOP HEAT ONLY, for maximum bagel and bun productivity.



QCS3-1400BH





ULTRA-MAX IMPINGEMENT CONVEYOR OVENS

Impingement Conveyor Ovens are great for...

- Toasting sandwiches, baking cookies & cinamon rolls
- Baking smaller blanched or par-baked pizzas
- High-volume, varied menu applications
- High power applications



UltraMax



STAR ULTRA-MAX GAS IMPINGEMENT CONVEYOR OVENS - DIGITAL CONTROLS

Model No.	Price F.O.B Smithville, TN	BTU ¹	Volts ²	NEMA Plug	Chamber [in.]	Belt Width [in.]	Belt Length [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
UM1854	\$34,301	40,000	120	5-15P	28	18.9	54	60.60	39.30	23.30	352	25
1 - Specify Natural Gas or Propane when ordering												
Gas Conveyor ovens can be stacked two (2) high						FREE START-UP for this product through approved service agent						



STAR ULTRA-MAX ELECTRIC IMPINGEMENT CONVEYOR OVENS - DIGITAL CONTROLS

ELECTRIC CONVEYOR OVENS
CAN BE STACKED 2-HIGH

Model No.	Stainless Belt	Price F.O.B Smithville, TN	PTFE Coated Belt	Volts ¹	NEMA Plug	Watts	Chamber [in.]	Belt Width [in.]	Belt Length [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
UM1833A	\$21,375	-	-	208 240	6-30P 6-30P	6,400	24	18.9	33	37.20	30.40	20.00	272	85
UM1850A	\$22,546	UM1850AT	\$24,498	208 240	6-30P 6-30P	6,400	24	18.9	50	50.00	30.40	20.00	290	85
1 - Specify 208V or 240V Service														
Electric Conveyor ovens can be stacked two (2) high								FREE START-UP for this product through approved service agent						

ACCESSORIES

Model No.	Price F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
UMENTRY6	\$318	6" CONVEYOR ENTRY SHELF	3	85
UMEXIT8	\$274	8" CONVEYOR EXIT SHELF	4	85
UMEXIT11	\$274	11" CONVEYOR EXIT SHELF	3	85
ES-UM1854	\$4,699	EQUIPMENT STAND UM1854	50	85



HOLMAN QUARTZ HEATER CONVEYOR OVENS

Quartz Conveyor Ovens are great for...

- Toasting sandwiches, baking cookies & cinamon rolls
- Baking smaller blanched or par-baked pizzas
- Countertop applications, limited space
- Lower power or low-voltage applications



HOLMAN QUARTZ HEATER ELECTRIC CONVEYOR OVENS - ANALOG CONTROLS

ELECTRIC CONVEYOR OVENS
CAN BE STACKED 2-HIGH

Model No.	Price F.O.B. Smithville, TN	Volts ¹	Watts	NEMA Plug	Chamber [in.]	Belt Width [in.]	Belt Length [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
210HX	\$8,935	120 208 220	1,700 2,800 2,800	5-15P 6-20P 6-20P	17	10.0	31	31.00	15.44	14.00	60	85
214HX	\$9,695	208 240 220	4,000	6-30P 6-30P Field Wired	17	14.0	31	31.00	19.44	14.00	66	85
314HX	\$18,545	208 220	5,400	6-30P Field Wired	21.5	14.0	38	38.69	21.25	16.13	115	85

1 - Specify 120, 208V, 240V or 220V service when ordering. All units rated for 50-60Hz cycles.

Electric Conveyor ovens can be stacked two (2) high

ACCESSORIES

Model No.	Price F.O.B. Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
SSK-210HX	\$1,538	210HX STACKING KIT	22	85
SSK-214HX	\$1,538	214HX STACKING KIT	24	85
SSK-314HX	\$1,538	314HX STACKING KIT	38	85





TORTILLA WARMER



ROLLING TORTILLA WARMER

RTW19EA



Also great for FLATBREADS and PITAS

- Replaces the need to take up valuable flat grill space to simply warm tortillas, flatbreads, and pitas
- Easy to operate. Straightforward design and digital controls ensure effortless operation and minimal employee training
- Durable non-stick rollers make cleanup easy, resulting in a reduction in labor and chemical costs
- Easily programmable digital controls for unique menu items
- No hood required, place anywhere - counter or wall mount

RTW14EA

6" TORTILLAS
30 per minute

10" TORTILLAS
12 per minute

12" TORTILLAS
10 per minute

RTW19EA

6" TORTILLAS
45 per minute

10" TORTILLAS
24 per minute

12" TORTILLAS
12 per minute

PER MINUTE WITH SOME STACKING

STAR ELECTRIC TORTILLA, PITA & FLATBREAD WARMER

Model No.	Prices F.O.B Smithville, TN	# of 6-inch TORTILLAS per minute	Volts	NEMA Plug	Watts	Width [in]	Depth [in]	Height [in]	Ship Wt. [lb]	Freight Class
RTW14EA	\$15,093	30 tortillas	120 208/240	5-15P 6-15P	1,787 1351-1,787	19.6	21.3	12	69	85
RTW19EA	\$15,845	45 tortillas	208/240	6-15P	1,905-2,537	24	21.3	12	77	85

Specify Voltage when ordering.

ACCESSORIES

Model No.	Prices F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
RTW14EA-WMB	\$287	14" WALL MOUNT KIT for RTW14EA	9	85
RTW19EA-WMB	\$330	19" WALL MOUNT KIT for RTW19EA	11	85



DRAWER WARMERS



TOASTMASTER DRAWER WARMERS

free-standing & built-in

Holds cooked foods at safe serving temperatures & proper moisture content.
Holding temperature and moisture content can be set for the type of food being held,
ideal for baked potatoes, vegetables, buns, rolls, ribs and more!



⚡ TOASTMASTER FREE-STANDING DRAWER WARMERS



Model No.	Price FOB Smithville, TN	# Drawers	# Tstats	Steam Pan Size [in.]	Volts	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
ONE (1) DRAWER WARMER - FREE STANDING												
3A81DT09	\$5,073	1	1	20x12x5	120	400	5-15P	29.19	19.53	15.00	94	85
TWO (2) DRAWER WARMERS - FREE STANDING												
3B84DT09	\$9,491	2	2	20x12x5	120	900	5-15P	23.19	19.53	25.56	140	85
THREE (3) DRAWER WARMERS - FREE STANDING												
3C84DT09	\$12,524	3	3	20x12x5	120	1,350	5-15P	29.19	19.53	29.19	223	85

⚡ TOASTMASTER BUILT-IN DRAWER WARMERS

Model No.	Price FOB Smithville, TN	# Drawers	# Tstats	Steam Pan Size [in.]	Volts ¹	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
ONE (1) DRAWER WARMER - BUILT-IN											
3A20AT09	\$5,451	1	1	16x16x5	120	450	23.06	23.00	12.13	82	85
3A80AT09	\$5,030	1	1	20x12x5	120	400	29.19	19.53	10.88	84	85
3A80AT72	\$4,977	1	1	20x12x5	208/240	400/540	29.19	19.53	10.88	84	85
TWO (2) DRAWER WARMERS - BUILT-IN											
3B20AT09	\$8,659	2	1	16x16x5	120	1000	23.19	23.00	22.75	138	85
3B80AT09	\$7,954	2	1	20x12x5	120	1000	29.19	19.53	21.75	144	85
3B80AT72	\$8,030	2	1	20x12x5	208/240	900/1200	29.19	19.53	21.75	144	85
3B84AT09	\$9,369	2	2	20x12x5	120	900	29.19	19.53	21.75	144	85
3B84AT72	\$9,281	2	2	20x12x5	208/240	850/980	29.19	19.53	21.75	144	85
THREE (3) DRAWER WARMERS - BUILT-IN											
3C80AT09	\$10,610	3	1	20x12x5	120	1350	29.19	19.53	29.18	186	85

All built in drawer warmers are field wired. 1 - Specify 120V or 208/240V Service when ordering.



HOT DOG EQUIPMENT

GRILL-MAX ROLLER GRILLS

ANALOG & ELECTRONIC CONTROL OPTIONS

BUILT-IN BUN DRAWER OPTIONS

STALTEK, DURATEC & CHROME ROLLER OPTIONS


BROIL-O-DOG CRADLES • STEAMERS

BUN BOXES • SNEEZE GUARDS • ACCESSORIES

STAINLESS STEEL & CLEAR DOOR BUN BOX OPTIONS

1 OR 2-DOOR, SHEILD & GLASS CANOPY SNEEZE GUARD OPTIONS

DIVIDER KITS & MERCHANDISING DOORS



75SCBD



SS30BBC



ROLLER GRILL BUYING GUIDE

ROLLER FINISH OPTIONS



STALTEK™ COATING

- Most durable coating in the market
- Star exclusive innovative coating
- Unparalleled grip performance
- Coating rolls uneven product
- Withstands vigorous cleaning

STALTEK™ COATING
MOST DURABLE IN THE MARKET



DURATEC™ COATING

- Non-stick roller coating facilitates cleaning
- Finish designed to grip and turn consistently



CHROME COATING

- Less expensive coating option
- Durable, can take a brisk cleaning
- Shiny and attractive when clean

CONTROL OPTIONS

ANALOG VS. ELECTRONIC

ANALOG CONTROLS

Analog controls for front and rear temperature zones are durable and economical, but don't allow for fine temperature adjustments

ELECTRONIC PROGRAMMABLE CONTROLS

Electronic controls allow the roller grill to react to grill surface temps, resulting in consistent temperatures and better quality products.

Program individual product cook/hold times & temps, taking the guesswork out of preparing menu items



ANALOG



ELECTRONIC

BUN DRAWERS

BUILT-IN VS. STAND ALONE

BUILT-IN BUN DRAWER

Eliminates the need for a separate piece of equipment, but has limited capacity as to storage

STAND ALONE BUN DRAWER

May be heated or unheated, depending on the bread and if buns are individually wrapped. Can be stacked beneath a roller grill, which increases height. Can be built-in to cabinets, or drop surfaces

ROLLER GRILLS FEATURE STADIUM SEATING

Stadium seating slanted roller design provide a 3° to 5° slope for the best presentation of your products increasing sales and impulse purchases

Flat roller grills available! Used for double-sided or employee serving, and can be recessed below the counter. Contact factory for details and pricing





ROLLER GRILL BUYING GUIDE

ROLLER GRILL SPECS

Series No.	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Bun Drawer Ship Wt. [lb.]
20	17.13	20.63	12.50	44	-
30	23.75	20.63	12.50	53	63
45	23.75	28.50	12.50	69	80
50	35.75	20.63	12.50	69	80
75	35.75	28.50	15.50	108	120

MODEL NAME FORMULA

MODEL NAME =
Series No. + Type:

Series No.	Capacity Hot Dogs	Type: C Chrome	Type: SC Duratec
20	20 dogs	20C	20SC
30	30 dogs	30C	30SC

Series No. & Roller Grill Capacity

SERIES NO. & ROLLER GRILL CAPACITY

Series No.	Capacity* Hot Dogs	Description
20	20 hot dogs	Ideal for low-volume locations, small to no product variation and small footprint areas. 11 rollers per grill
30	30 hot dogs	Popular size. 11 rollers per grill
45	45 hot dogs	Great for deeper countertops with limited left-to-right space. 16 rollers per grill
50	50 hot dogs	Most popular size. 11 rollers per grill
75	75 hot dogs	Lots of room for high-volume locations. 16 rollers per grill

INDUSTRY INNOVATION LEADERS

UNITED STATES PATENT NUMBERS

6,393,971 | 6,782,802 | 7,520,211

6,659,574 7,367,261 | 7,334,517

6,707,015 and counting!



ROLL

A **WIDE RANGE**
OF **PRODUCTS**
WITH **GRILL-MAX**



ROLLER GRILLS / HOT DOG EQUIPMENT



GRILL-MAX ROLLER GRILLS



⚡ STAR GRILL-MAX ROLLER GRILLS

ANALOG Controls					ELECTRONIC Controls				
Series No.	Capacity Hot Dogs	Type: C Chrome	Type: SC Duratec	Type: ST StalTek	Type: SCE Duratec	Type: STE StalTek	Volts ¹	Watts	NEMA Plug
20	20 dogs	\$4,118	\$4,476	-	-	-	120	930	5-15P
30	30 dogs	\$4,216	\$4,708	\$5,190	\$5,940	\$6,418	120 230*	1150 1150	5-15P CEE7/7
45	45 dogs	\$5,225	\$6,184	\$7,140	\$7,416	-	120 120 (CSA)** 230* *45SC & 45SCE	1650 1700 (CSA) 1650	5-15P 5-20P (CSA) CEE7/7
50	50 dogs	\$4,849	\$5,608	\$6,356	\$6,836	\$7,588	120 120 (CSA)**	1535 1535 (CSA)	5-15P 5-20P (CSA)
75	75 dogs	\$7,216	\$8,794	\$10,545	\$10,023	\$11,775	120 120 (CSA)**	1730 1730 (CSA)	5-15P 5-20P (CSA)
1 - * 230v Service available for upcharge: Add (\$517) for 230V Service					All prices F.O.B Smithville, TN				
					** 120V (CSA) Canadian Service available for models - 45SCE, 50SCE, 50STE, 75SCE				

MODEL NAME FORMULA

MODEL NAME = Series No. + Type:

Series No.	Capacity Hot Dogs	Type: C Chrome	Type: SC Duratec
20	20 dogs	20C	20SC
30	30 dogs	30C	30SC

[Roller Grill Specs & capacity on page 42](#)

[Built-in Bun Drawer Roller Grill options on page 44](#)

[Roller Grill Sneeze Guards & Accessories on page 45](#)

ROLL
A **WIDE RANGE**
OF **PRODUCTS**
WITH **GRILL MAX**

75STBD with
SNEEZE
GUARD





ROLLER GRILLS / HOT DOG EQUIPMENT



GRILL-MAX ROLLER GRILLS with BUILT-IN BUN DRAWER



75SCBD

STAR GRILL-MAX ROLLER GRILLS with BUILT-IN BUN DRAWER

ANALOG Controls					ELECTRONIC Controls				
Series No.	Capacity Hot Dogs	Type: CBD Chrome	Type: SCBD Duratec	Type: STBD StalTek	Type: SCBDE Duratec	Type: STBDE StalTek	Volts ¹	Watts	NEMA Plug
30	30 dogs 32 buns	\$5,685	\$6,177	\$6,656	\$7,406	\$7,888	120	1150	5-15P
45	45 dogs 32 buns	-	\$7,653	\$8,609	\$8,883	\$9,838	120	1650	5-15P
50	50 dogs 48 buns	\$6,318	\$7,075	\$7,827	\$8,304	\$9,054	120 120 (CSA)* 208/240**	1535 (CSA) 1250/1670	5-15P 5-20P (CSA) 6-15P
75	75 dogs 48 buns	-	\$10,262	\$12,010	\$11,490	\$13,243	120 208/240**	1730 1810/2400	5-15P 6-20P
* 120V (CSA) Canadian Service available for models - 50STBD, 50STBDE							All prices F.O.B Smithville, TN		
** 208/240V Service available for models - 50STBD, 50STBDE, 75STBD, 75SCBDE, 75STBD									

STAR GRILL-MAX ROLLER GRILLS with CLEAR BUN DRAWER



50SCBBC
CLEAR BUN DRAWER
with sneeze guard accessory
purchased separately

ANALOG Controls

Series No.	Capacity Hot Dogs	Type: CBBC Chrome	Type: SCBBC Duratec	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
30	30 dogs 24 buns	\$5,825	\$6,318	120 230* 30CBBC	1150 1150	5-15P CEE7/7	23.75	20.63	12.50	53	100
50	50 dogs 40 buns	-	\$7,215	120 230* 50SCBBC	1535 1535	5-15P BS1363	35.75	20.63	12.50	69	100
1 - * 230v Service available for upcharge: Add (\$517) for 230V Service										All prices F.O.B Smithville, TN	

[Roller Grill Specs & capacity on page 42](#)

[Roller Grill Sneeze Guards & Accessories on page 45](#)



ROLLER GRILLS / HOT DOG EQUIPMENT



BUN BOXES, SNEEZE GUARDS & ROLLER GRILL ACCESSORIES

STAR GRILL-MAX

Model No.	Bun Box see-thru CLEAR DOOR	Model No.	Bun Box STAINLESS STEEL	Description	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
SS50BBC	\$1,497	SS50BB	\$2,109	Series 50 & 75 (Capacity: 64 buns)	35.75	20.60	6.90	49	100



SS50BBC
UNHEATED
CLEAR BUN DOOR



SIGN HOLDER 50SH

GLASS CANOPY
SNEEZE GUARD
50SG-G



30SG-1D



30SGS

STAR SNEEZE GUARDS

Series No.	Type: SG-1D Single Door Polycarbonate	Type: SG-2D Double Door Polycarbonate	Type: SGS Shield ¹ Polycarbonate	Ship Wt. [lb.]	Type: SG-G Glass Canopy	Type: SH Sign Holder ²	Ship Wt. [lb.]	Freight Class
20	\$878	-	-	7	-	-	-	100
30	\$960	\$1,042	\$239	9	\$1,559	-	32	100
45	\$1,105	-		13	\$1,755			100
50	\$1,254	\$1,350	\$341	17	\$1,823	\$362	45	100
75	\$1,479	\$1,693		18	\$2,418			100
1 - Optional shield to convert sneeze guard doors into a pass-thru sneeze guard						All prices F.O.B Smithville, TN		
2 - Optional sign holder for Glass Canopy sneeze guards								



GLASS SNEEZE GUARDS

Open concept is modern looking and easy to clean

PLEXI-GLASS POLYCARBONATE SNEEZE GUARDS

Enclosed design keeps 10-15°F higher temps

MERCHANDISING DOORS & MISC. ROLLER GRILL ACCESSORIES

Model No.	Price F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
MERCHANDISING DOORS				
20RGMD	\$315	Series 20 doors	5	100
30RGMD	\$369	Series 30 & 45 doors	5	100
50RGMD	\$404	Series 50 & 75 doors	7	100
OTHER ACCESSORIES				
RGLK	\$158	4" Adjustable Legs	2	100
THU	\$220	Tong Holder	1	100

DIVIDER KITS

Model No.	Price F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
30RGDKC	\$525	Series 30	2	100
45RGDKC	\$720	Series 45	4	100
50RGDKC	\$558	Series 50	6	100
75RGDKC	\$770	Series 75	8	100



DIVIDER KIT
30RGDKC



ROLLER GRILLS / HOT DOG EQUIPMENT



CRADLE BROIL-O-DOG & HOT DOG STEAMER

STAR CRADLE BROIL-O-DOG with BUN WARMING COMPARTMENT



174CBA



Model No.	Price F.O.B Smithville, TN	Capacity	Watts ¹ 120V	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
174CBA	\$4,198	18 hot dogs, 12 buns	1,150	13.50	14.50	24.00	56	100
175CBA	\$4,733	36 hot dogs, 32 buns	1,535	19.50	14.50	24.00	71	100

1 - NEMA 5-15P plug standard for 120V applications

- Stainless steel cradle-type hot dog wheel provides basting action that rolls the dogs resulting in more evenly cooked products with consistent color
- Built-in pull out heated bun warmer with removable washable stainless steel pan keeps buns warm and ready to serve without becoming soggy
- Momentary wheel switch for easy loading and unloading of product



STAR HOT DOG STEAMER with JUICE TRAY

Model No.	Price F.O.B Smithville, TN	Capacity	Watts ¹ 120V	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
35SSA	\$2,360	170 dogs, 18 buns	800	14.75	16.50	15.60	30	100
35SSC	\$2,213	130 dogs, 30-40 buns	1,000	18.00	15.00	15.60	27	100
70SSA	\$3,687	230 dogs, 36 buns	1,000	18.75	16.50	15.60	38	100

1 - NEMA 5-15P plug standard for 120V applications

- Pull down & top loading for easy, safe access and displaying of products, buns and more
- Side by side design provides more control of heat and humidity for all of your steaming needs
- Adjustable thermostat for accurate temperature control
- Bun compartment features a humidity control system and a bun rack to keep buns warm and fresh
- Powerful tubular element for faster heat up and more consistent temperature and humidity control
- Adjustable thermostat for accurate temperature control
- Large water pan for all day steaming. 35SSA (11-quarts), 35SSC (6-quarts), 70SSA(14-quarts)
- Low water indicator light is standard on both models for convenience and longer element life



35SSC



35SSA





WAFFLE BAKERS



WAFFLE BAKERS



SWBS



SWBD

STAR WAFFLE MAKERS TRADITIONAL & BELGIAN STYLE

Model No.	Price F.O.B Smithville, TN	Description	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height ² [in.]	Ship Wt. [lb.]	Freight Class
SWBB	\$6,590	7" DIAMETER BELGIAN WAFFLE SINGLE	120 208/240 230*	900 675/900 900	5-15P 6-15P CEE7/7	10.19	14.00	10.56	30.2	85
SWBS	\$3,097	7" DIAMETER TRADITIONAL WAFFLE SINGLE	120 208/240	900 675/900	5-15P 6-15P	10.13	13.50	8.75	15	85
SWBD	\$5,175	7" DIAMETER TRADITIONAL WAFFLE DOUBLE	120 208/240	1800 1350/1800	5-15P 6-15P	19.81	13.50	8.75	28	85
1 - * 230V Service available for model - SWBB			2 - Height measurement information for closed waffle maker							

WAFFLE BAKER
RECIPES, VIDEOS & MORE
VISIT STAR-MFG.COM



<https://star-mfg.com/product/star-waffle-makers-traditional-belgian-style-swbd/>



HEATED PERISTALTIC DISPENSERS



HEATED PERISTALTIC DISPENSERS



HPDE2H



HPDE1H



STAR HEATED PERISTALTIC DISPENSERS

Model No.	Price F.O.B Smithville, TN	Description	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
HPDE2	\$4,907	DOUBLE DISPENSER 75RPM, 1 oz/3 sec	120	5-15P	1,000	14.30	20.60	26.80	61	100
HPDE2H	\$4,907	DOUBLE DISPENSER HIGH PERFORMANCE 180RPM, 1oz/sec	120	5-15P	1,000	14.30	20.60	26.80	61	100
HPDE2H-230V	\$5,408		230*	CEE 7/7						
HPDE2HP	\$5,408	DOUBLE DISPENSER HIGH PERFORMANCE 180RPM, 1oz/sec PORTION CONTROL	120	5-15P	1,000	14.30	20.60	26.80	61	100
HPDE1H	\$3,936	SINGLE DISPENSER HIGH PERFORMANCE 180RPM, 1oz/sec	120	5-15P	820	9.60	20.60	26.80	48	100
HPDE1HP	\$4,394	SINGLE DISPENSER HIGH PERFORMANCE 180RPM, 1oz/sec PORTION CONTROL	120	5-15P	820	9.60	20.60	26.80	48	100

1 - * 230V Service available on HPDE2H NOTE: * HPDE1HP-230V model - upcharge: Add \$462 to the (HPDE2H 120v model \$4,522) for 230V Service

INDEX equipment & accessories

174CBA	46	45SGS	45	615MF	10	8172RCBB	15	PSC28IE	26	TMGE24	11
175CBA	46	45ST	43	615TF	10	824MA	9	PSC28IEGT	26	TMGE36	11
20C	43	45STBD	44	624MF	10	824TA	9	PSC28IGT	26	TMGE48	11
20RGMD	45	45STBDE	44	624TCHSF	10	824TCHSA	9	PSC28IT	26	TMGM24	11
20SC	43	50-SGS	45	624TF	10	836MA	9	PSC28ITGT	26	TMGM36	11
20SG-1D	45	501FF	19	624TSPF	10	836TA	9	PST14A	26	TMGM48	11
210HX	37	502FF	19	630FF	21	836TCHSA	9	PST14D	26	TMGT24	11
214HX	37	50C	43	636MF	10	848MA	9	PST14E	26	TMGT36	11
301FBL	22	50CBD	44	636TCHSF	10	848TA	9	PST14I	26	TMGT48	11
301FBR	22	50RGDKC	45	636TF	10	848TCHSA	9	PST14IE	26	TMHP2	20
301HLF	21	50RGMD	45	636TSPF	10	860MA	9	PST14IT	26	TMHP4	20
30C	43	50SC	43	648MF	10	860TA	9	PST14T	26	TMHP6	20
30CBBC	44	50SCBBC	44	648TCHSF	10	860TCHSA	9	PST7A	26	TMHPF	20
30CBD	44	50SCBD	44	648TF	10	872MA	9	PST7E	26	TMLC24	17
30RGDKC	45	50SCBDE	44	648TSPF	10	872TA	9	PST7I	26	TMLC36	17
30RGMD	45	50SCE	43	70SSA	46	872TCHSA	9	PST7IE	26	TMLC48	17
30SC	43	50SG-1D	45	724TA	9	CTSHEET10	32	QCS1-350	33	TMRC24	17
30SCBBC	44	50SG-2D	45	736TA	9	DT14	35	QCS1-500B	33	TMRC36	17
30SCBD	44	50SG-G	45	736TCHSA	9	ES-UM1854	36	QCS2-1200B	33	TMRC48	17
30SCBDE	44	50ST	43	748TA	9	GX10IG	27	QCS2-500	33	UM1833A	36
30SCE	43	50STBD	44	748TCHSA	9	GX10IS	27	QCS2-600H	33	UM1850A	36
30SG-1D	45	50STBDE	44	75C	43	GX14IG	27	QCS2-800	33	UM1854	36
30SG-2D	45	50STE	43	75RGDKC	45	GX14IS	27	QCS3-1000	34	UMENTRY6	36
30SG-G	45	5124CF	16	75SC	43	GX20IG	27	QCS3-1300	34	UMEXIT11	36
30SGS	45	5136CF	16	75SCBD	44	GX20IGS	27	QCS3-1400BH	35	UMEXIT8	36
30ST	43	514FB	22	75SCBDE	44	GX20IS	27	QCS3-1600B	34	UMSA24	13
30STBD	44	514LL	21	75SCE	43	HCT13M	32	QCS3-950H	34	UMSA36	13
30STBDE	44	515F	21	75SG-1D	45	HCT13S	32	QCSE2-500	33	UMSA48	13
30STE	43	515TGF	10	75SG-2D	45	HCTE13M	32	QCSE2-600H	33	UMSA60	13
314HX	37	524CHSF	10	75SG-G	45	HCTE13S	32	RCS2-600BN	35	UMSA72	13
35SSA	46	524TGF	10	75SGS	45	HCTEBW	32	RGLK	45		
35SSC	46	530FF	21	75ST	43	HCTFEED	32	RTW14EA	38		
3A20AT09	39	530TBL	22	75STBD	44	HPDE1H	48	RTW14EA-WMB	38		
3A80AT09	39	530TBR	22	75STBDE	44	HPDE1HP	48	RTW19EA	38		
3A80AT72	39	530TF	21	75STE	43	HPDE2	48	RTW19EA-WMB	38		
3A81DT09	39	536CHSF	10	760TA	9	HPDE2H	48	SCT4000E	31		
3B20AT09	39	536TGF	10	760TCHSA	9	HPDE2HP	48	SCTBWP	31		
3B80AT09	39	548CHSF	10	772TA	9	PGC28I	26	SCTBWS	31		
3B80AT72	39	548TGF	10	772TCHSA	9	PGC28IE	26	SCTSHEET-B	31		
3B84AT09	39	6015CBF	16	8024CBB	15	PGC28IT	26	SS50BBC	45		
3B84AT72	39	6024CBF	16	802HA	18	PGT14A	26	SSK-210HX	37		
3B84DT09	39	602HF	19	8036CBB	15	PGT14D	26	SSK-214HX	37		
3C80AT09	39	602HWF	19	8048CBB	15	PGT14E	26	SSK-314HX	37		
3C84DT09	39	6036CBF	16	804HA	18	PGT14I	26	STAND/HC-24	12		
45C	43	6048CBF	16	8060CBB	15	PGT14IE	26	STAND/HC-36	12		
45RGDKC	45	604HF	19	806HA	18	PGT14IT	26	STAND/HC-48	12		
45SC	43	606HF	19	8072CBB	15	PGT14T	26	STAND/HC-60	12		
45SCBD	44	6115RCBF	16	808HA	18	PGT7A	26	STAND/HC-72	12		
45SCBDE	44	6136RCBF	16	8124RCBB	15	PGT7E	26	SWBB	47		
45SCE	43	6148RCBF	16	8136RCBB	15	PGT7I	26	SWBD	47		
45SG-1D	45	614RCBF	16	8148RCBB	15	PGT7IE	26	SWBS	47		
45SG-G	45	615FF	21	8160RCBB	15	PSC28I	26	THU	45		

MAP/M.R.I.C.P. POLICY



APW/Bakers Pride/Star Holdings Group (Holman, Lang, MagiKitch'n, Star, Toastmaster & Wells)

Minimum Advertised Price & Minimum Resale Internet Cart

MINIMUM ADVERTISED PRICE (MAP) POLICY

This Policy applies to all means of Advertised Pricing for all Middleby Commercial Foodservice Brands

The APW/Bakers Pride/Star Holdings Group (hereinafter "the Group") and the Middleby Corporation (hereinafter "the Corporation") is committed to supporting our Authorized Dealers and Resellers selling the Group's products in or into the United States & Canada by continuing to provide high-quality, premium products for the foodservice industry while maintaining its brand equity and integrity. This Minimum Advertised Price Policy ("MAP") applies to ANY and ALL means of Advertised Pricing, to Any and ALL customers, for all Brands within the Group and the Corporation. Advertising at a price below MAP will be considered a violation of this Policy. This MAP Policy will apply to any activity which the Group or the Corporation determines, in their sole and absolute discretion, is designed or intended to circumvent the intent of this MAP Policy.

- MAP Policy pricing is the Current List Price less 45% for all Group products; and advertised at a price no less than rounded down to the nearest whole number off the Current List Price.
- If a Dealer offers or combines (i.e., "bundling") one or more products from a single or multiple brands of the Group or the Corporation in an advertisement, the aggregate price for all products by the Group and Corporation offered for sale in combination may not be lower than the cumulative MAP for each of the products when sold separately.
- At the Dealer's sole expense, the Dealer may offer or combine the following items of casters, warranty or freight into their product's sell price; not to be below the product's MAP price.

The MAP Policy applies to any advertisements of the Group's products and designs in any and all media, including but not limited to, print advertising (e.g. magazines, catalogs, newspapers, posters, flyers and direct mail), e-mail and facsimile advertising (e.g. broadcast campaigns, flyers, coupons and similar inserts), internet or similar electronic media (e.g. Amazon, eBay, Google), Dealer websites, internet banner ads, social media blasts, social networks, search engine advertising and all other types of digital signage.

All internet advertised prices must show the product's "MAP" price or higher. Any communications stating or implying that a price below MAP may be found elsewhere on the site, that is initiated by the Dealer, would constitute advertising and would be deemed a violation of this MAP Policy. Dealers may not make any statements, displays, or communications that indicate, state, imply, or suggest that a lower price may be found at the online check out, including but not limited to: "Call for Pricing", "Chat for Pricing", "Text for Pricing", "Click for Pricing", "Email for Pricing", "Add to Cart for Pricing", "Mouse Over for Pricing", "Log In for Pricing", strike-through the price, or any of the like. This includes "shopping cart price", "chat box price" and "emailed price" that appear on the internet in any format on any Dealer's public internet website or public internet-based account, including internet search engine shopping feeds, are all subject to the Group and the Corporate MAP Policy. Website features such as automated "bounce-back" pricing emails, pre-formatted email responses, forms, automatic price display, loyalty and reward point systems and other similar features are considered "advertising" under this MAP Policy. Under this MAP Policy, the Group and the Corporation prohibit the use of split-screen, side-by-side advertising, or pop-ups to advertise a similar product of any other brand other than those that are manufactured by other brands within the Corporation. The Group and the Corporation prohibit any Dealer from redirecting (automatically, inadvertently or otherwise) a customer who is in search of a product of the Group, the Corporation or item number to any other non-Middleby brand.

No Dealer may advertise a product of the Group or the Corporation at a price in violation of this MAP Policy on any third-party platform such as Amazon, eBay, Google or any like platforms in which it may operate as a vendor or have a re-distributor operate on its behalf. No Dealer may advertise a price in violation of this MAP Policy in an effort to match or beat a competitor's price. It is a violation of the MAP Policy to advertise a price below MAP pricing, even if such advertised price was automatically or manually generated due to a MAP Policy violation by a vendor or competition another medium or platform.

From time to time, the Group or the Corporation may discontinue certain products or engage in promotions with respect to certain products. In such events, the Group and the Corporation reserve the right to modify or suspend the MAP Policy with respect to the affected products at its sole discretion. Such changes shall apply equally to all Authorized Dealers of the Group and the Corporation.

MINIMUM RESALE INTERNET CART PRICE (MRICP) POLICY

The Minimum Resale Internet Cart Price ("MRICP") applies to the final internet check out prices regardless of providing a customer "log in", membership or similar (e.g., shopping cart prices, chat box prices, emailed prices, and prices on the internet website or search engines) of the Group's or the Corporation's products. The Group requires that when Dealers sell select products (listed below) through internet sales that these products are subject to MRICP and are sold at a price no more than a 52% discount rounded down to the nearest whole number off the current List Price. This MRICP Policy will apply to any activity which the Group or the Corporation determines, in their sole and absolute discretion, is designed or intended to circumvent the intent of this MRICP Policy.

MAP/M.R.I.C.P. policy continued next page

MAP/M.R.I.C.P. POLICY

policy continued from previous page

The MAP Policy and MRICP Policy apply only to advertised prices and do not apply to the price at which the products are actually sold or offered for sale to an individual customer at a Dealer's place of business, including contract negotiations, or negotiations in the field. The decision to implement and enforce the MAP Policy and the MRICP Policy is solely to protect the Group's and the Corporation's brands, reputation and competitiveness and the Authorized Dealers who promote and sell their products based on quantitative and qualitative factors.

The MRICP policy applies to the following Group Brands and Brand product segments

Brands in their Entirety

Bakers Pride

Lang

MagiKitch'n

Star Categories

Holman conveyor toasters

(All Labeled Products)

Pro-Max Panini's

(PST, PGT, PSC, PGC-Series Products)

Star (RTW-Series Products)

Star-Max (500 & 600-Series Products)

Ultra-Max (All Labeled Products)

Wells Categories

Drawer Warmers

Heated & Refrigerated Wells

(HT, H/RCP-Series)

Dry Wells (MDW models)

All Ventless Products

POLICY VIOLATIONS

These MAP and MRICP Policies are not intended as, nor are they to be construed as, an attempt by the Group or the Corporation to set advertised or resale prices or an agreement between the Group, the Corporation and any Authorized Dealer or other party. In addition, the Group and the Corporation will not accept any assurances of compliance with these MAP or MRICP Policies from any Authorized Dealer. Each Authorized Dealer must independently choose whether to comply with the terms of these MAP and MRICP Policies. These MAP and MRICP Policies are not negotiable and will not be altered for any individual Authorized Dealer.

The Group, the Corporation or their agent(s) will conduct a reasonable investigation in response to a suspected MAP and MRICP Policy violation. Failure to cooperate by any Authorized Dealer, including retaliatory actions by any Authorized Dealer with the Group's or the Corporation's investigation will be considered an additional violation.

Failure to meet the terms and conditions of the MAP and MRICP Policies will result in full, unconditional enforcement of the penalties described below. The event of a violation will be determined solely by the Group or the Corporation.

Dealer will be subject to penalties (over a 12-month period) up to and including but not limited to:

- **1st violation:** The Group or the Corporation at a minimum will issue an email communication to the non-compliant dealer requesting their compliance to the MAP and MRICP Policies. Failure to comply within 48 hours (2 days) or a repeated offense within a 3-month period will be considered a 2nd violation.
- **2nd violation:** The Group or the Corporation at a minimum will issue an email notification to the non-compliant dealer requesting their compliance to the MAP and MRICP Policies and will hold all Group shipments and/or the Corporation, until all violations are resolved. Failure to comply within 48 hours (2 days) or a repeated offense within a 6-month period will be considered a 3rd violation.
- **3rd violation** and each violation thereafter: The Group or the Corporation at a minimum will issue an email notification to the non-compliant dealer and buying group as applicable requiring their compliance to the MAP and MRICP Policies and will result in **(a) the dealer's net pricing being increased to a price that is 50% off of the Group's then current published List Price(s) and net pricing increased to standard market discounts off ALL Middleby Corporation Brands published List Prices and (b) any and ALL available rebates, marketing incentives, or program dollars (accrued or due in total) will be forfeited.** Failure to comply within 48 hours (2 days) or a repeated offense within a 12-month period, the Group or the Corporation at a minimum will issue an email notification to the non-compliant Dealer and buying group as applicable informing them of the a) indefinite suspension of their account with the Group and ALL Middleby Corporation Brands and b) permission to use the Group's and the Corporation's brand trademarks, trade names, individual brand and corporate logos, product images and product content will be indefinitely revoked. Reinstatement of the account, preferred pricing and applicable incentives or rebates may be re-evaluated by the Group and the Corporation in their sole discretion after 30 days.

DEALER ACCOUNTABILITY

In the case of a MAP or MRICP violation by a reseller who does not have an authorized relationship with the Group's or the Corporation's brands and instead purchases the Group's or the Corporation's products from an Authorized Dealer or any other reseller (i.e., dealer-to-dealer sale), the Group and the Corporation will pursue enforcement actions against the Authorized Dealer as provided above in these Policies.

OTHER PROVISIONS

These Policies are managed by the MAP/MRICP Policy Administrator(s) for the Group and the Corporation. Only the MAP/MRICP Policy Administrator(s), Group President and Group Vice President of Sales and Marketing may provide direction to Dealers concerning compliance with the MAP and MRICP Policies. And ONLY the Group Vice President of Sales and Marketing and Group President may authorize exceptions to the Policies. No other individuals, including any employee or representative of the Group or the Corporation, may provide such direction or authorizations regarding the Group's Policies to any Dealer. It is the Dealer's sole responsibility to remain aware of any changes to the MAP and MRICP Policies.

The terms of the MAP and MRICP Policies are confidential and are not to be disclosed to other parties. The Group and the Corporation have adopted the MAP and MRICP Policies unilaterally in furtherance of its independent business strategy and reserves, at its sole discretion, the right to change the Policies and to interpret, enforce and otherwise handle all questions and issues related to the Policies.

WARRANTY

LIMITED EQUIPMENT WARRANTY

Star Manufacturing [as well as its subsidiaries] warrants to the original purchaser of new Star products to be free from defects in material or workmanship, under normal and proper use and maintenance service as specified by Star and upon proper installation and start-up in accordance with the instructions supplied with each Star unit. Star's obligation under this warranty is limited to a period of one [1] year beginning from the date of original installation. The warranty period begins upon the date of original installation or up to six [6] months after the original shipment, from the factory, of the covered product. Defects that occur as a result of normal use, within the time period and limitations defined in this warranty, will at Star's discretion have the parts replaced or repaired by Star or a Star-authorized service agency.

THIS WARRANTY IS SUBJECT TO ALL LISTED CONDITIONS

Repairs performed under this warranty are to be performed by a Star authorized service agency. Star will not be responsible for charges incurred or service performed by non-authorized repair agencies. In all cases, the nearest Star-authorized service agency must be used. Star will be responsible for normal labor charges incurred in the repair or replacement of a warranted product within 50 miles (80.5 km) of an authorized service agency. Time and expense charges for anything beyond that distance will be the responsibility of the owner. All labor will need to be performed during regular service hours. Any overtime premium will be charged to the owner. For all shipments outside the U.S.A. and Canada, please see the International Warranty for specific details. It is the responsibility of the owner to inspect and report any shipping damage claims, hidden or otherwise, promptly following delivery. No mileage or travel charges will be honored on any equipment that is deemed portable. In general, equipment with a cord and plug weighing less than 50 lb. (22.7 kg) is considered portable and should be taken or shipped to the closest authorized service agency, transportation prepaid.

PORTABLE EQUIPMENT EXAMPLES

- QCS1, QCS2, and RCS2 toasters
- Condiment dispensers

CONTACT

Should you require any assistance regarding the operation or maintenance of any Star Manufacturing; phone, email or fax our service department. In all correspondence provide the model number and serial number of the unit needing service; include the voltage or gas type.

Normal Business Hours: 8:00 a.m. to 5:00 p.m. Central

Telephone: 800-264-7827 Tech Service Option 2

Email: TechService@partstown.com

www.Star-Mfg.com

WARRANTY EXCLUSIONS

THE FOLLOWING WILL NOT BE COVERED UNDER WARRANTY.

Star's sole obligation under this warranty is limited to either repair or replacement parts, subject to the additional limitations detailed below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

- Any product which has not been used, maintained, or installed in accordance with the directions published in the appropriate installation sheet and/or owner's manual, including incorrect gas or electrical connection. Star is not liable for any unit which has been mishandled, abused, misapplied, subjected to harsh chemicals, modified by unauthorized personnel, damaged by flood, fire, or other acts of nature [or God], or which have an altered or missing serial number.
- Installation, labor, and job checkouts, calibration of heat controls, air and gas burner/bypass/pilot adjustments, gas or electrical system checks, voltage and phase conversions, cleaning of equipment, or seasoning of griddle surface.
- Replacement of fuses or resetting of circuit breakers, safety controls, or reset buttons.
- Replacement of broken or damaged glass components, quartz heating elements, and light bulbs.
- Labor charges for all removable and consumable parts in gas charbroilers and hotplates, including but not limited to burners, grates, and radiants.
- Any labor charges incurred by delays, waiting time, or operating restrictions that hinder a service technician's ability to perform service.
- Replacement of parts that fail or are damaged due to normal wear or labor for replacement of parts that can be replaced during a daily cleaning routine, such as but not limited to silicone belts, PTFE non-stick sheets, control labels, knobs, bulbs, fuses, quartz heating elements, baskets, racks, and grease drawers.
- Any economic loss of business or profits.
- Non-OEM parts. Use of non-OEM parts without Star's approval will void the warranty.
- Units exceeding one [1] year from original installation date.

ADDITIONAL WARRANTIES

- Specific/chain-specific equipment may have additional and/or extended warranties.

PRODUCTS	PARTS	LABOR
Star Ultra Max ® fryers, griddles, charbroilers and hotplates	2 years	2 years
Star Max ® fryers, griddles, charbroilers and hotplates	2 years	2 years
Staltek™ roller grill coatings	5 years	
Cast iron grates, burners and burner shields	1 year	
Original Star, Toastmaster or Holman parts sold to repair equipment	90 days	

The foregoing warranty is in lieu of any, and all other warranties expressed or implied and constitutes the entire warranty.

INTERNATIONAL WARRANTY

ORIGINAL EQUIPMENT WARRANTY

INTERNATIONAL

(Except U.S. and Canada)

STAR, APW WYOTT, BAKERS PRIDE, LANG, MAGIKITCH'N, TOASTMASTER, WELLS products are warranted to each original Buyer and will be free from defects in material and workmanship for the period specified below, under normal and proper use and maintenance service as specified by "STAR, APW WYOTT, BAKERS PRIDE, LANG, MAGIKITCH'N, TOASTMASTER, WELLS" and upon proper installation and start-up in accordance with the instructions supplied with each. Obligation under this warranty shall be limited to repairing or replacing, at its option, any part found to be defective within the specified warranty period.

STANDARD PRODUCT WARRANTY PERIOD

One (1) Year Limited Parts only

The warranty period begins upon the earlier of the date between proof of installation or 90 days after Invoice date or 90 days after shipping date.

No other Warranty terms are valid unless agreed and authorized by STAR, APW WYOTT, BAKERS PRIDE, LANG, MAGIKITCH'N, TOASTMASTER, WELLS

Any labor expense or part failure incurred after the warranty period will be the responsibility of the end user.

WARRANTY EXCLUSIONS

THE FOLLOWING WILL NOT BE COVERED UNDER WARRANTY.

STAR, APW WYOTT, BAKERS PRIDE, LANG, MAGIKITCH'N, TOASTMASTER, WELLS sole obligation under this warranty are limited to either repair or replacement parts, subject to the additional limitations detailed below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

- Any product which has not been used, maintained, or installed in accordance with the directions published in the appropriate installation sheet and/or owner's manual, including incorrect gas or electrical connection. STAR, APW WYOTT, BAKERS PRIDE, LANG, MAGIKITCH'N, TOASTMASTER, WELLS are not liable for any unit which has been mishandled, abused, misapplied, subjected to harsh chemicals, modified by unauthorized personnel, damaged by flood, fire, or other acts of nature [or God], or which have an altered or missing serial number.
- Installation, labor, and job checkouts, calibration of heat controls, air and gas burner/bypass/pilot adjustments, gas or electrical system checks, voltage and phase conversions, cleaning of equipment, or seasoning of surfaces.
- Replacement of fuses or resetting of circuit breakers, safety controls, or reset buttons.
- Replacement of broken or damaged glass components, quartz heating elements, and light bulbs.
- Labor charges for all removable and consumable parts.
- Any labor charges incurred by delays, waiting time, or operating restrictions that hinder a service technician's ability to perform service.

International Warranty continued on next page

INTERNATIONAL WARRANTY

International Warranty continued from previous page

- Replacement of parts that fail or are damaged due to normal wear or labor for replacement of parts that can be replaced during a daily cleaning routine, such as but not limited to silicone belts, PTFE non-stick sheets, control labels, knobs, bulbs, fuses, quartz heating elements, baskets, racks, and grease drawers.
- Any economic loss of business or profits
- Non-OEM parts. Use of non-OEM parts without STAR, APW WYOTT, BAKERS PRIDE, LANG, MAGIKITCH'N, TOASTMASTER, WELLS 's approval will void the warranty.

CONTACT

International@partstown.com

www.partstown.com

Phone: +1-630-866-4385 during normal Business Hours, 8:30 am to 4:30 pm, US Central Standard Time (CST)

In all correspondence provide:

- Serial number - **mandatory**
- Model number/Brand name
- Sales Acknowledgment/Order Confirmation's reference/number, if available
- Include Site's voltage or gas type
- Location/Company's name
- Buyer/Dealer/Distributor/Vendor/Service provider info, if available

INFORMATION

FOR AUTHORIZED DEALERS - TERMS are net 30, with approved credit.
Products are shipped FOB Smithville, Tennessee.

RETURNS - Return Material Authorization (RMA) requests must be submitted within **60 days from date of invoice**. Prior authorization must be received in order to return merchandise. Approved returned goods must be returned prepaid. In all cases, Star Brands will refuse any returned goods that do not have prior Star Brands approval and therefore, do not bear a Star Brands Return Material Authorization (RMA) number. Goods must be returned either in the original Star Brands unopened box or returned unused and repacked in the original Star Brands box using original Star Brands packing materials. Credit will be issued for returned product less restock. Returns are subject to a 35% restocking charge. All authorized returns will be paid by credit memo. Refurbishing, if necessary, will be an additional charge and will be deducted from any credit that may be allowed. Items not stocked, specially configured or built to order do not qualify for return. Any specials that are authorized for return, may be subject for a fee beyond the standard restocking fee. Returns must be received at the assigned return address within thirty (30) days from authorization date. Goods returned after this period may be refused. Star-Holman-Toastmaster reserves the right to refuse or charge a 45% restocking fee on equipment returned without prior authorization.

TITLE passes to the consignee when merchandise is accepted by the carrier, and thereafter travels at the risk of the purchaser. FOB Factory.

SUBSTITUTIONS in material or design will be made as needed, and may be done without notification when necessary.

PLEASE SPECIFY (a) finish, (b) type of gas, (c) BTU content, (d) altitude (where applicable), or (e) voltage, (f) phase and (g) cycle when ordering.

PRICES Please contact the factory or one of its export agents for quotations on merchandise to be shipped into other areas. All prices are in U.S. dollars. All prices are subject to change without prior notice.

START UP This is the initial uncrating and set up of the equipment which is not covered under the Star warranty. This will include piping, electrical and gas connections. This also includes the first "turn on and check" of any gas or electric equipment.



To learn more about our wide array
of Commercial Kitchen Equipment,
or for a complete listing of
Sales Representative
& Service Agencies,
visit us at

Star-Mfg.com

Star
265 Hobson Street
Smithville, Tennessee 37166

CUSTOMER SERVICE
phone: 800-264-7827 option 1
email: orders@star-mfg.com

TECHNICAL SERVICE
phone: 800-264-7827 option 2
email: techservice@partstown.com



Griddles • Charbroilers • Hot Plates
Fryers • Panini/Sandwich 2-Sided Grills
Contact & Conveyor Toasters • Conveyor Ovens
Tortilla Warmers • Drawer Warmers • Roller Grills
Hot Dog & Concession Equipment • Waffle Makers
Heated Peristaltic Dispensers

STAR, HOLMAN & TOASTMASTER

265 Hobson Street | Smithville, Tennessee 37166

CUSTOMER SERVICE

phone: 800-264-7827 option 1

email: orders@star-mfg.com

TECHNICAL SERVICE

phone: 800-264-7827 option 2

email: techservice@partstown.com

PRICING SUBJECT TO CHANGE. ALWAYS CHECK AUTOQUOTES FOR LATEST PRICING PRIOR TO PLACING AN ORDER.

ALL ORDERS SHIP FOB FACTORY (SMITHVILLE, TN)



THANK YOU FOR YOUR BUSINESS.

- *Star Holdings Group Team*
SMITHVILLE, TN